

In the Claims

1-27. (Canceled)

28. (Currently amended) A method of ~~coating~~ ~~coating~~ an implantable device comprising applying a composition onto the implantable device to form a coating, a composition as defined in claim 1 the composition comprising

(1) a first block copolymer comprising a block having a glass transition temperature (T_g) below about body temperature and a second block having a T_g or a melting temperature (T_m) above about body temperature, and

(2) a material selected from the group consisting of a biobeneficial polymer capable of forming a conjugate with the first block copolymer, a second block copolymer and combination thereof, wherein the second block copolymer comprising

(i) a biobeneficial component; and

(ii) a component selected from the group consisting of components miscible with the first block copolymer and components insoluble in water.

29. (Currently amended) The method of claim 28 wherein the composition further comprising a bioactive agent.

30-35. (Canceled)

36. (Previously presented) The method of claim 28 wherein the implantable device is a stent.

37-53. (Canceled)